NITED STATES PATENT AND TRADEMARK OFFICE



In re application of

Leandre Adifon, et al.

Serial No.: 09/163,207

Filed: September 29, 1998

Assistant Commission for Patents Washington, DC 20231

HOISTWAY DOOR

Dear Sirs:

Docket No: OT-4329

Date: August 2, 2001

Art Unit: 3652

Examiner: S. McAllister

AUG 1 3 2001

Technology Center 2100

RECEIVED

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Director of Patients and Washington, D.C.

PETITION FOR EXTENSION OF TIME UNDER 37 CFR 1.136

Title: ELEVATOR SYSTEM HAVING DRIVE MOTOR LOCATED ADJACENT TO

This is a petition to extend the time for filing a Reply Brief to the Notice of Appeal dated March 2, 2001 by a period of three (3) months from May 2, 2001 to August 2, 2001. TECEIVEL

The fee has been calculated as shown below:

TO 3600 MAIL BOOM

Total Number of Months with this Petition	Total Fee Required	Minus Fee Previously Paid	Total Petition Fee Due	-
Three	\$890.00	\$0.00	\$890.00	

Please charge the Total Fee Due to cover the cost of the extension to Deposit Account No. 15-0750, Order No. OT-4329. The Patent Office is authorized, for any valid reason, to correct any error in the above fee calculation. Any deficiency or overpayment should be charged or credited to this Deposit Account. A duplicate copy hereof is enclosed.

> Randy G. Henley Registration No. 35, 188

Otis Elevator Company Ten Farm Springs Farmington, CT 06032 (860) 676-5742